

Прессы гладильные 507,509, 517, 518

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mip@nt-rt.ru || сайт: <https://macpi.nt-rt.ru/>

507.88-8522

WHITE COATS (DOCTORS' UNIFORMS) PRESSING MACHINE (STEAM HEATING)



Carousel pressing machine with two 180° bottom rotating bottom shapes and one head with vertical movement.

The machine is featuring the following characteristics and is complete with:

- * polished steam heated head
- * steam heated bottom buck and with vacuum during the rotation both at the beginning and at the end of the working cycle with the possibility to switch it off at the end
- * programming and control device through Touch Screen


7”

- * adjustable pressing time
- * adjustable pressing pressure
- * manual water spraying
- * safety device for machine rotation

The machine requires a vacuum plant

m Lapel pressing for woman

m 507.00.5213



507.00.5213

Carousel machine designed for lapels pressing of ladies jackets/coats. Machine rotation at 180 degree. The machine allows a drastic increase of production output without affecting the finishing quality: while the operator is positioning the garment, the other side the machine is operating so the pressing cycle time is always balanced by the positioning/handling time. Additional advantages given by the unit 507 are: easy positioning, vertical pressing electronically adjustable, suction hoods to remove excess steam.

m 507.00.6153

m 507.00.7239



507.00.6153 + 507.00.7239

Set of 2 carousel machine designed for front and back pressing with double shapes. Machine rotation at 180 degree. The machine allows a drastic increase of production output without affecting the finishing quality: while the operator is positioning the jacket, the other side the machine is operating so the pressing cycle time is always balanced by the positioning/handling time. Additional advantages given by the unit 507 are: easy positioning, vertical pressing electronically adjustable, suction hoods to remove excess steam.

507.23-7385

EDGES AND LAPES PRESSING

Pressing machine with two double, 180° rotating lower shapes, one upper shape with inclined vertical descent, two lateral shapes with horizontal movement and steam heated shapes.

The machine is featuring the following characteristics:

- * central steaming upper shape with sponging position
- * steaming and vacuum lateral shapes with sponging position
- * manual vacuum lower plate for right/left sides, right/left lapels and in automatic by only one control. Vacuum both at the beginning and at the end, with the possibility to switch it off at the end, manual double steaming and in automatic, air blowing only in automatic

- * selection of the adjustable pressing pressure

- * no.3+3 pedals

- * safety device for machine rotation with pneumatic gate

- * suction hoods made by conveyable air electric fans

(only for shapes without APS)

- * 7" Touch Screen TC7 with USB port

The shape is provided with:

- * sponging

- * ironing pressure adjustment

- * quadruple lower suction





507.37-9125 TWO STATIONS FLAT BONDING CAROUSEL

Fusing machine with two 180° rotating lower shapes and one head with vertical movement.

The machine is featuring the following characteristics and is complete with:

- * electrically heated upper shape covered by fluorglas fabric
- * vacuum bottom shapes for parts loading and rotation.

Variable vacuum flow

Technical features:

- * 7" Touch Screen TC7 with USB port
- * adjustable pressing pressure
- * safety device for machine rotation
- * LED lamp for work area lighting



507.88-8522 WHITE COATS (DOCTORS' UNIFORMS) PRESSING MACHINE (STEAM HEATING)

Carousel pressing machine with two 180° bottom rotating bottom shapes and one head with vertical movement.

The machine is featuring the following characteristics and is complete with:

- * polished steam heated head
- * steam heated bottom buck and with vacuum during the rotation both at the beginning and at the end of the working cycle with the possibility to switch it off at the end
- * programming and control device through Touch Screen

7"

- * adjustable pressing time
- * adjustable pressing pressure
- * manual water spraying
- * safety device for machine rotation

The machine requires a vacuum plant

509.00-6045

RIGHT & LEFT FOREPARTS UNDERPRESSING - MAN

Carousel machine for underpressing with two 180° rotating lower plates and one head with vertical descent (the flat shapes can be different from each other).

The machine is featuring the following characteristics and is complete with:

- * steam heating
- * vacuum lower plate; vacuum both at the beginning and at the end of the working cycle with the possibility to switch it off at the end; separate vacuums (right/left) for double shapes
- * steam heated upper plate and steaming
- * lower air blowing possible only if programmed
- * suction hoods made up of conveyable air electric fans

(only for shapes without APS)

- * safety device for machine rotation by automatic gate
- * 7" Touch Screen TC7

The shape is provided with:

- * sponging
- * ironing pressure adjustment
- * lower steaming
- * double lower suction



517.00-6041/6042

RIGHT AND LEFT FOREPARTS UNDERPRESSING - MAN

Pressing machine with two 120° rotating lower shapes and two upper shapes with vertical descent. The shapes can be different from each other.

The machine is featuring the following characteristics and is complete with:


- * steaming and steam heated lower plates; air blowing both at the beginning and at the end with possibility to switch it off; separated vacuum (right/left) for double shapes
- * steam heated and steaming upper plates
- * lower air blowing possible if programmable
- * suction hoods made up of conveyable air electric fans

(only for shapes without APS)

- * safety device for machine rotation by automatic gate
- * 7" Touch Screen TC7

The shape is provided with:

- * sponging
- * ironing pressure adjustment
- * lower steaming
- * single lower suction



517.00.6153-7239 – Carousel For Front & Back Pressing With Double Shapes



Carousel machine designed for front and back pressing with double shapes. Machine rotation at 120 degree. The machine allows a drastic increase of production output without affecting the finishing quality: while the operator is positioning the jacket, the other side the machine is operating so the pressing cycle time is always balanced by the positioning/handling time. Additional advantages given by the unit 517 are: easy positioning, vertical pressing electronically adjustable, suction hoods to remove excess steam. The model 517 is fitted with 2 set of shapes (left and right) and having wider dimension compared to the unit 518 allows fitting bigger shapes.

Steam circuit

MACPI steam circuit grants a high safety margin thanks to the steam circulation in high pressure pipes which allows a quick heat exchange and even

518.00-6064/6065 RIGHT AND LEFT FOREPARTS UNDERPRESSING - MAN



Pressing machine with two 120° rotating lower shapes and two upper shapes with vertical descent. The shapes can be different from each other.

The machine is featuring the following characteristics and is complete with:

- * steaming and steam heated lower plates; air blowing both at the beginning and at the end with possibility to switch it off;
- * steam heated and steaming upper plates
- * lower air blowing possible if programmable
- * suction hoods made up of conveyable air electric fans (only for shapes without APS)

* safety device for machine rotation by automatic gate

* 7" Touch Screen TC7

The shape is provided with:

- * sponging
- * ironing pressure adjustment
- * lower steaming
- * single lower suction

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mip@nt-rt.ru || сайт: <https://macpi.nt-rt.ru/>